

Name

Fundamentals

Style No.

4001

Use

Upholstery

Content

100% Recycled
Polyester

Abrasion


Wyzenbeek
250,000 double rubs**

Environmental


Chemical Finish Free
Recycled Content




Marble 4001-22




Moonstone 4001-23




Latte 4001-03




Brier 4001-04



Dove 4001-05



Light Grey 4001-06



Nickel 4001-10



Tangelo 4001-14



Verde 4001-09



Slate 4001-13




Salsa 4001-17




Parakeet 4001-12



Aqua 4001-15




Banner 4001-01




Malachite 4001-25



Lapis 4001-24




Garnet 4001-26




Sudan 4001-07




Azure 4001-18



Wendigo 4001-21



Armory 4001-16



Black 4001-19

Name **Fundamentals**

Style No. **4001**

Specification
Use: Upholstery
Content: 100% Recycled Polyester (65% Preconsumer, 35% Postconsumer)
Weight: 12 oz per linear yard
Width: 54"
Pattern Repeat: None
Directional: No

Finish None

Performance
Abrasion: ASTM D4157 Wyzenbeek 250,000 double rubs*
Breaking Strength: ASTM D5034 Warp 275 lbf, Fill 275 lbf
Seam Slippage: ASTM D4034 Warp 50 lbf, Fill 50 lbf
Colorfastness to Light: AATCC 16, Grade 4 at 40 Hours
Colorfastness to Crocking: AATCC 8, Wet Class 3, Dry Class 4
Pilling: ASTM D3511 (Brush Pill), Class 4

Flame Retardancy Cal TB 117-2013

Maintenance WS, Clean with either a water-based or solvent-based cleaning agent.

Environmental
Chemical Finish Free
Recycled Content

Origin Canada
Dye lots may vary slightly from samples shown. Samples shown off the bolt.



Canada
877.705.LUUM
luumtextiles.ca

USA
877.705.LUUM
luumtextiles.com

International
919.464.2922
luumtextiles.com

cdn/us/int/02-17

© Teknion 2017.

*,™ Trademarks of Teknion Corporation and/or its subsidiaries or licensed to it.

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance.

**Wyzenbeek results above 100,000 double rubs have not been shown to be a reliable indicator of increased fabric lifespan.

*Certification Marks owned by the Association for Contract Textiles, Inc.

U1 — SC-305-1007